

PRO COM CAN OPEN

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com



魏德米勒的插入式通信模块使得各个组件能够与云端交换相关数据。这为利用状态监测和远程可控性进行有针对性的过程优化奠定了基础，这些因素在提升效率、质量、过程稳定性和可用性方面发挥了决定性的作用。通信模块采用 IP20 防护设计，无需任何工具即可进行操作，并能够灵活地适配不同可定制的通信协议。

通用订货数据

通用订货数据	
版本	通信模块
订货编号	2467320000
类型	PRO COM CAN OPEN
GTIN (EAN)	4050118482225
最小包装数	1 Stück

PRO COM CAN OPEN

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

技術資料

尺寸和重量

深	33.6 mm	深度 (英寸)	1.323 inch
高度	74.4 mm	高度 (英寸)	2.929 inch
寬度	35 mm	闊度 (英寸)	1.378 inch
淨重	75 g		

溫度

工作溫度	-25 °C...70 °C
------	----------------

通用參數

MTTF	符合标准	SN 29500
	工作时间 (小时), 分钟	4,082,000 h
	环境温度	40 °C
	占空比	100 %
重量	36 g	
防護等級	IP20	

分类

ETIM 6.0	EC001604	ETIM 7.0	EC001604
ETIM 8.0	EC001604	ETIM 9.0	EC001604
ECLASS 9.0	27-24-26-08	ECLASS 9.1	27-04-07-92
ECLASS 10.0	27-24-26-08	ECLASS 11.0	27-24-26-08
ECLASS 12.0	27-24-26-08	ECLASS 13.0	27-24-26-08
ECLASS 14.0	27-24-26-08		

环保产品合规

RoHS 合规状态	合规, 有例外
RoHS 豁免 (如适用/已知)	7a, 7cl
REACH SVHC	Lead 7439-92-1
SCIP	1df9fee4-69cb-4b0a-a401-554c8cdbf60e

PRO COM CAN OPEN

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

技術資料

审批

認證



MAMID 认证	https://mdcop.weidmueller.com/mediadelivery/rendition/900_319212/-T1z1mm-S800/ https://mdcop.weidmueller.com/mediadelivery/rendition/900_319215/-T1z1mm-S800/ https://mdcop.weidmueller.com/mediadelivery/rendition/900_319220/-T1z1mm-S800/ https://mdcop.weidmueller.com/mediadelivery/rendition/900_319228/-T1z1mm-S800/ https://mdcop.weidmueller.com/mediadelivery/rendition/900_322323/-T1z1mm-S800/ https://mdcop.weidmueller.com/mediadelivery/rendition/900_319234/-T1z1mm-S800/ https://mdcop.weidmueller.com/mediadelivery/rendition/900_319255/-T1z1mm-S800/
ROHS	一致
UL File Number Search	UL 网站
證書號 (cULus)	E258476
證書編號 (cULusEX)	E470829

下载

认证/证书/一致性声明	Declaration of conformity Declaration of Conformity
工程数据	CAD data – STEP Quick start guide – IOT-GW30: CANopen communication with PROtop Compatibility of PRO COM
产品更改通知	PRO COM CAN OPEN Release Notes
软件	Device description – EDS File
用户文档	Operating instruction
产品目录	Catalogues in PDF-format